

APPENDIX SS7

TABLE OF CONTENTS

1. INTRODUCTION.....	3
2. SERVICE DESCRIPTION	4
3. MANNER OF PROVISIONING	7
4. RESPONSIBILITIES OF <u>SBC-12STATE</u>	8
5. RESPONSIBILITIES OF CLEC	9
6. BONAFIDE REQUEST PROCESS.....	9
7. DESCRIPTION OF RATE ELEMENTS <u>SBC MIDWEST REGION 5-STATE</u>	9
8. DESCRIPTION OF RATE ELEMENTS <u>SBC-7STATE</u>	10
9. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS.....	11

APPENDIX SS7 APPENDIX FOR THE PROVISION OF SS7 SERVICE

1. INTRODUCTION

- 1.1 This Appendix sets forth the terms and conditions for non-discriminatory access to the Common Channel Signaling/Signaling System 7 (CCS/SS7) signaling network provided by the applicable SBC Communications Inc. (SBC) owned Incumbent Local Exchange Carrier (ILEC) and CLEC. CCS/SS7 is comprised of certain network elements, including Dedicated Signaling Links, Signaling Link Transport and Signaling Transfer Points (STP). In addition to such network elements, this Appendix provides for CCS/SS7 functionality and translations to support SS7 based services and applications.
- 1.2 **SBC Communications Inc. (SBC)** means the holding company which directly or indirectly owns the following ILECs: Illinois Bell Telephone Company d/b/a SBC Illinois, Indiana Bell Telephone Company Incorporated d/b/a SBC Indiana, Michigan Bell Telephone Company d/b/a SBC Michigan, Nevada Bell Telephone Company d/b/a SBC Nevada, The Ohio Bell Telephone Company d/b/a SBC Ohio, Pacific Bell Telephone Company d/b/a SBC California, The Southern New England Telephone Company, Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, SBC Kansas, SBC Missouri, SBC Oklahoma and/or SBC Texas and/or Wisconsin Bell, Inc. d/b/a SBC Wisconsin.
- 1.3 **SBC-2STATE** - As used herein, **SBC-2STATE** means **SBC CALIFORNIA** and **SBC NEVADA**, the applicable SBC-owned ILEC(s) doing business in California and Nevada.
- 1.4 **SBC-4STATE** - As used herein, **SBC-4STATE** means Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, SBC Kansas, SBC Missouri, and SBC Oklahoma the applicable SBC-owned ILEC(s) doing business in Arkansas, Kansas, Missouri and Oklahoma.
- 1.5 **SBC-7STATE** - As used herein, **SBC-7STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC CALIFORNIA** and **SBC NEVADA**, the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.6 **SBC-8STATE** - As used herein, **SBC-8STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC CALIFORNIA**, **SBC NEVADA**, and **SBC SNET** the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Connecticut, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.7 **SBC-10STATE** - As used herein, **SBC-10STATE** means **SBC SOUTHWEST REGION 5-STATE** and **SBC MIDWEST REGION 5-STATE** an the applicable SBC-owned ILEC(s) doing business in Arkansas, Illinois, Indiana, Kansas, Michigan, Missouri, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.8 **SBC-12STATE** - As used herein, **SBC-12STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC MIDWEST REGION 5-STATE** and **SBC-2STATE** the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.9 **SBC-13STATE** - As used herein, **SBC-13STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC MIDWEST REGION 5-STATE**, **SBC-2STATE** and **SBC SNET** the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.10 **SBC ARKANSAS** - As used herein, **SBC ARKANSAS** means Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, the applicable SBC-owned ILEC doing business in Arkansas.
- 1.11 **SBC CALIFORNIA** – As used herein, **SBC CALIFORNIA** means Pacific Bell Telephone Company d/b/a SBC California, the applicable SBC-owned ILEC doing business in California.
- 1.12 **SBC KANSAS** - As used herein, **SBC KANSAS** means Southwestern Bell Telephone, L.P. d/b/a SBC Kansas, the applicable SBC-owned ILEC doing business in Kansas.

- 1.13 **SBC ILLINOIS** - As used herein, **SBC ILLINOIS** means Illinois Bell Telephone Company d/b/a SBC Illinois, the applicable SBC-owned ILEC doing business in Illinois.
- 1.14 **SBC INDIANA** - As used herein, **SBC INDIANA** means Indiana Bell Telephone Company Incorporated d/b/a SBC Indiana, the applicable SBC-owned ILEC doing business in Indiana.
- 1.15 **SBC MICHIGAN** - As used herein, **SBC MICHIGAN** means Michigan Bell Telephone Company d/b/a SBC Michigan, the applicable SBC-owned doing business in Michigan.
- 1.16 **SBC MIDWEST REGION 5-STATE** - As used herein, **SBC MIDWEST REGION 5-STATE** means Illinois Bell Telephone Company d/b/a SBC Illinois, Indiana Bell Telephone Company Incorporated d/b/a SBC Indiana, Michigan Bell Telephone Company d/b/a SBC Michigan, The Ohio Bell Telephone Company d/b/a SBC Ohio, and/or Wisconsin Bell, Inc. d/b/a SBC Wisconsin, the applicable SBC-owned ILEC(s) doing business in Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- 1.17 **SBC MISSOURI** - As used herein, **SBC MISSOURI** means Southwestern Bell Telephone, L.P. d/b/a SBC Missouri, the applicable SBC-owned ILEC doing business in Missouri.
- 1.18 **SBC NEVADA** - As used herein, **SBC NEVADA** means Nevada Bell Telephone Company d/b/a SBC Nevada, the applicable SBC-owned ILEC doing business in Nevada.
- 1.19 **SBC OHIO** - As used herein, **SBC OHIO** means The Ohio Bell Telephone Company d/b/a SBC Ohio, the applicable SBC-owned ILEC doing business in Ohio.
- 1.20 **SBC OKLAHOMA** - As used herein, **SBC OKLAHOMA** means Southwestern Bell Telephone, L.P. d/b/a SBC Oklahoma, the applicable SBC-owned ILEC doing business in Oklahoma.
- 1.21 **SBC SNET** - As used herein, **SBC SNET** means The Southern New England Telephone Company, the applicable above listed ILEC doing business in Connecticut.
- 1.22 **SBC SOUTHWEST REGION 5-STATE** - As used herein, **SBC SOUTHWEST REGION 5-STATE** means Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, SBC Kansas, SBC Missouri, SBC Oklahoma and/or SBC Texas the applicable above listed ILEC(s) doing business in Arkansas, Kansas, Missouri, Oklahoma, and Texas.
- 1.23 **SBC TEXAS** - As used herein, **SBC TEXAS** means Southwestern Bell Telephone, L.P. d/b/a SBC Texas, the applicable SBC-owned ILEC doing business in Texas.
- 1.24 **SBC WISCONSIN** - As used herein, **SBC WISCONSIN** means Wisconsin Bell, Inc. d/b/a SBC Wisconsin, the applicable SBC-owned ILEC doing business in Wisconsin.

2. SERVICE DESCRIPTION

- 2.1 **SBC SNET** does not offer access to the SS7 signaling network under this agreement. Rather, SS7 is available as described in DPUC ordered CT Access Service Tariff Section 18.2.8. SS7 interconnection arrangements between **SBC SNET** and CLEC will be on an individual case basis (ICB) due to the individual architectures of both CLEC and **SBC SNET** signaling networks and unique requirements of the individual parties.
- 2.2 **SS7 Transport**
 - 2.2.1 SS7 as defined in this Appendix above, provides for the transporting of call setup (i.e. ISUP) signaling to each end-office subtended from the tandem in the LATA in which the interconnection occurs as outlined in this Agreement. SS7 Transport of SS7 Global Access or SS7 Access as defined in the **SBC-12STATE** below outlines the requirements by for interLATA signaling.
 - 2.2.2 SS7 Transport provides for the routing and screening of SS7 messages from an **SBC-7STATE** pair of STPs (i.e., a mated pair) to another **SBC-7STATE** pair of STPs. In the **SBC MIDWEST REGION 5-STATE**, due to the fact that state gateway STPs are not interconnected, SS7 Transport provides for the routing and screening of SS7 messages from a **SBC MIDWEST REGION 5-STATE** pair of

designated Gateway STPs (i.e., a mated pair) to another **SBC MIDWEST REGION 5-STATE** pair of STPs within the same state only. The screening of messages provides for CLEC designation of signaling points associated with the CLEC and controls which messages may be allowed by the **SBC-12STATE** STP pairs. The routing of messages provides for the transfer of a complete message between signaling links, and for a Global Title Translation (GTT) of the message address, if needed.

- 2.2.3 SS7 Transport provides routing of messages for all parts of the SS7 protocol. These messages may support other applications and services such as, for example, CLASS services, Message Waiting services, Toll Free Database services, Line Information Data Base (LIDB) Services, Calling Name (CNAM) Database services, Advanced Intelligent Network (AIN) services and Telecommunications Industry Association Interim Standard-41 (IS-41) services. SS7 Transport will route messages to the global title address or to the signaling point code address of the message based on the translation information of **SBC-12STATE**'s STP.

2.3 Dedicated Signaling Links

- 2.3.1 Dedicated Signaling Links provide interconnection to **SBC-12STATE**'s signaling network. Each signaling link is a set of dedicated 56Kbps (or higher speed) transmission paths between CLEC STPs or switches and the **SBC-12STATE** STP mated pair. The CLEC designated Signaling Points of Interconnection (SPOI) are at **SBC-7STATE**'s STP, an **SBC-7STATE** serving wire center or are collocated in an **SBC-12STATE** wire center. In the **SBC MIDWEST REGION 5-STATE** the SPOI is always collocated in the **SBC MIDWEST REGION 5-STATE** STP serving office. This means of collocation is required in the **SBC MIDWEST REGION 5-STATE** for access to the **SBC MIDWEST REGION 5-STATE** STP. The links are fully dedicated to the use of CLEC and provide the screening and routing usage for the **SBC-12STATE** STP to which the link is connected. Dedicated Signaling Links are available to CLECs for their use in furnishing SS7-based services or applications to their end users or other users of SS7 signaling information.

2.4 Dedicated Signaling Links include the following elements:

2.4.1 SS7 Link Cross Connect

- 2.4.1.1 The SS7 Link Cross Connect provides a DS-0 or DS1 connection in the **SBC-12STATE** STP building and connects the STP Port Termination to the CLEC SPOI.

2.4.2 STP Port Termination

- 2.4.2.1 The STP Port Termination is the physical termination of the signaling link (i.e. 56 kbps circuit) at an **SBC-12STATE** STP. A STP Port Termination is used for each 56 kbps SS7 Link Cross Connect terminated at a **SBC-12STATE** STP.

2.4.3 STP Access Link

- 2.4.3.1 The STP Access Link provides a 56-kilobit per second digital facility when CLEC requires an interoffice facility to connect from the CLEC SPOI to the STP building location.

- 2.5 The CLEC shall provide the portion of the signaling link from the CLEC premises within the LATA to the **SBC-12STATE** STP location or the CLEC SPOI. CLEC shall identify the DS1 or channel of a DS1 that will be used for the signaling link.
- 2.6 CLEC shall identify to **SBC-12STATE** the facility and channel to which the SS7 Link Cross Connect shall connect. If the facility does not terminate in the STP location **SBC-12STATE** shall provide a transport facility referred to as the STP Access Link. The STP Access Link will connect to the DS-0 cross connect at the STP location.
- 2.7 When CLEC uses an alternative DS1 facility or arranges, or agrees to allow, a physical degree of diversity or performance that is not in accordance with the specifications of Telcordia technical publication, GR-905-CORE, CLEC acknowledges that the performance and reliability of the SS7 protocol may be affected and the performance and reliability standards described in GR-905-CORE may be disqualified.

- 2.8 Dedicated Signaling Links are subject to **SBC-12STATE** compatibility testing and certification requirements pursuant to the Network Operations Forum Reference Document, GR-905-CORE and **SBC-12STATE** Technical Publication, TP76638. In the **SBC MIDWEST REGION 5-STATE** Technical Publication AM-TR-OAT-000069 will apply in addition to the documents referenced above. In **SBC-2STATE** PUB L-780023-**SBC-2STATE** may be substituted for TP76638 and first interconnections to **SBC CALIFORNIA**'s signaling network per CLEC and per signaling point type of equipment will require completion of **SBC CALIFORNIA**'s CCS/SS7 interconnection questionnaire. Each individual set of links from CLEC switch to **SBC-12STATE** STP will require a pre ordering meeting to exchange information and schedule testing for certification by **SBC-12STATE**.
- 2.9 Dedicated Signaling Links Technical Requirements
- 2.9.1 Unbundled Dedicated Signaling Links will perform in the following two ways:
- 2.9.1.1 as an "A-link", which is a connection between a switch and a home signaling transfer point (STP) mated pair; and
 - 2.9.1.2 as a "B-link" or "D-link," which is an interconnection between STPs in different signaling networks.
- 2.9.2 When CLEC provides its own switch or STP, CLEC will provide DS1 (1.544 Mbps) interfaces at the CLEC-designated SPOIs. DS1 transport to the SPOI can be provided for, as previously indicated, via existing transport facilities or through CLEC purchase of an **SBC-12STATE** dedicated transport facility, previously referred to as the "Access Connection". Each 56 Kbps transmission path will appear as a DS0 channel on the DS1 interface.
- 2.9.3 In each LATA in which CLEC desires Dedicated Signaling Links for interconnection to the **SBC-12STATE** SS7 Signaling Network, CLEC must purchase dedicated signaling links to each STP of a mated pair of STPs.
- 2.9.4 CLEC assumes the responsibility to ensure diverse routing of CLEC signaling links from CLEC switch to CLEC SPOI. **SBC-12STATE** will provide the same amount of diversity as it provides to itself in terms of diverse routing of interoffice facilities, should such facilities be necessary.
- 2.9.5 When CLEC requests that **SBC-12STATE** add a Signaling Point Code (SPC), CLEC will identify to **SBC-12STATE** the SPCs associated with the CLEC set of links and will pay a non-recurring charge per STP pair at the rates set forth in Appendix PRICING UNE – Schedule of Prices, "Point Code Addition". This rate element will not apply in **SBC-2STATE**.
- 2.9.6 CLEC will notify **SBC-12STATE** in writing thirty (30) days in advance of any material change in CLEC's use of such SS7 signaling network, including but not limited to any change in CLEC SS7 Dedicated Signaling Links, SS7 Transport and/or STP.
- 2.10 Signaling Transfer Points (STPs)
- 2.10.1 The STP element is a signaling network function that includes all of the capabilities provided by the STP switches which enable the exchange of SS7 messages between switching elements, database elements and signaling transfer point switches via associated signaling links. STP includes the associated link interfaces.
- 2.10.2 Use of the STP routes signaling traffic generated by action of CLEC to the destination defined by **SBC CALIFORNIA**'s signaling network, excluding messages to and from an **SBC-7STATE** local switching unbundled network element. Integrated services digital network user (ISUP) and Translational Capabilities Application Part (TCAP) signaling traffic addressed to SPs associated with CLEC set of links will be routed to CLEC.
- 2.10.3 SS7 Transport will apply to SS7 messages transported on behalf of CLEC from a **SBC-12STATE** designated STP pair to a **SBC-12STATE** STP pair located in a different LATA. In the **SBC MIDWEST REGION 5-STATE** this arrangement will only be provided for STPs located in the same state. In the **SBC-7STATE**, the rate, per octet, will apply to octets comprising ISUP and TCAP

messages. In the **SBC MIDWEST REGION 5-STATE** the Signal Switching and Signal Transport rates will apply to ISUP and TCAP messages. In the **SBC-2STATE**, SS7 transport is not available. However, transit signaling provides the ability for an interconnecting network (ICN) to pass signaling information through the **SBC-2STATE** network to a third party without requiring a trunking connection by a third party with **SBC-2STATE**.

- 2.10.4 In such instance as CLEC utilizes **SBC-12STATE**'s Local Switching Network Element, CLEC does not separately order SS7 signaling under this method. CLEC will be charged for the use of the **SBC-12STATE** SS7 signaling on a per call basis.

2.11 STP Technical Requirements

- 2.11.1 STPs will provide signaling connectivity to the following network elements connected to the **SBC-12STATE** SS7 network: **SBC-12STATE** Local Switching or Tandem Switching; **SBC-12STATE** Service Control Points/Call Related Databases; Third-Party local or tandem switching systems; and Third-party-provided STPs.
- 2.11.2 The Parties will indicate to each other the signaling point codes and other screening parameters associated with each Link Set ordered by CLEC at the **SBC-12STATE** STPs, and where technically feasible, each Party will provision such link set in accordance with these parameters. CLEC may specify screening parameters so as to allow transient messages to cross the **SBC-12STATE** SS7 Network. The Parties will identify to each other the GTT type information for message routing. CLEC will pay a non-recurring charge when CLEC requests **SBC-12STATE** add GTT type information for message routing, in connection with its use of unbundled signaling.

2.12 Interface Requirements

- 2.12.1 **SBC-12STATE** will provide STP interfaces to terminate A-links, B-links, and D-links.
- 2.12.2 CLEC will designate the SPOI for each link. CLEC will provide a DS1 or higher rate transport interface at each SPOI. **SBC-12STATE** will provide intraoffice diversity to the same extent it provides itself such diversity between the SPOIs and the **SBC-12STATE** STPs.
- 2.12.3 **SBC-12STATE** will provide intraoffice diversity to the same extent it provides itself such diversity between the SPOIs and the **SBC SOUTHWEST REGION 5-STATE** STPs.

3. **MANNER OF PROVISIONING**

- 3.1 The following describes the manner of provisioning for SS7 services. Each Party will work cooperatively with the other Party and will each provide knowledgeable personnel in order to provision, test and install SS7 Service in a timely fashion.
- 3.2 SS7 Transport
- 3.2.1 CLEC shall use SS7 Transport subject to the screening and routing information of the **SBC-12STATE** STPs. **SBC-12STATE** shall provide information to CLEC on the routes and signaling point codes served by the **SBC-12STATE** STPs. SS7 Transport shall route ISUP messages for the purpose of establishing trunk voice paths between switching machines.
- 3.2.2 SS7 Transport shall route TCAP queries when feasible pursuant to the SS7 Protocol to the **SBC-12STATE** "regional" STP pair that directly serves the database of TCAP message. SS7 Transport shall route TCAP responses from a **SBC-12STATE** "regional" STP pair to another **SBC-12STATE** STP pair.
- 3.2.3 SS7 Transport provides a signaling route for messages only to signaling points to which **SBC-12STATE** has a route. SS7 Transport does not include the provision of a signaling route to every possible signaling point. When **SBC-12STATE** does establish a route to a signaling point in a mated pair of STPs, the route may not be available to other **SBC-12STATE** pairs of STPs, until ordered. When **SBC-12STATE** or CLEC, pursuant to a service order, arranges to establish a route to a signaling point, such route to the other signaling point or other signaling network will be used by all

signaling points within, and connected to, the **SBC-12STATE** signaling network pursuant to the standard requirements of the SS7 protocol.

- 3.3 Disputes concerning the association of a signaling point among specific link sets associated with a **SBC-12STATE** mated STP will be resolved by consultation with the signaling point owner, as defined in the Local Exchange Routing Guide (LERG), Section 1, assignment of SPC.

3.4 Dedicated Signaling Links

- 3.4.1 CLEC shall designate the signaling points and signaling point codes associated with CLEC. CLEC shall provide such information to **SBC-12STATE** to allow **SBC-12STATE** to translate **SBC-12STATE** STPs. The information shall define the screening and routing information for the signaling point codes of CLEC and may include global title address, translation type and subsystem designations as needed.
- 3.4.2 Signaling links from **SBC-12STATE** mated pairs of STPs shall connect to CLEC premises (including collocation locations) within the same LATA. A set of links can be either:
- 3.4.2.1 "A" Link Sets from CLEC's Signaling Point (SP)/Service Switching Point (SSP). A minimum of two links will be required, one from the SP/SSP to each STP; or,
- 3.4.2.2 "B" Link Sets from CLEC's STPs that are connected to **SBC-12STATE**'s mated pair of STPs. A minimum of four links will be required (i.e. a "quad") between the two pairs of STPs. (This same arrangement is sometimes referred to as a set of "D" links.)
- 3.4.3 A STP Port Termination and SS7 Link Cross Connect is required for each 56-kbps access link utilized for the Service. STP locations are set forth in the National Exchange Carrier Association, Inc. (NECA) Tariff FCC No. 4.
- 3.4.4 A pre-order meeting will define the **SBC-12STATE** facility availability and the degree of diversity in both the **SBC-12STATE** physical network and the CLEC physical network from signaling point to signaling point for the link.
- 3.4.5 When CLEC requires a STP Access Link, CLEC and **SBC-12STATE** shall jointly negotiate the degree of diversity provided among and between multiple dedicated signaling links. The negotiation shall consider the requirements of the SS7 standard protocol, the degree of diversity available in each network and the possible alternatives.
- 3.4.6 All applicable signaling point codes for each signaling link must be installed at each of **SBC-12STATE**'s interconnecting STPs.
- 3.4.7 Call set-up times may be adversely affected when CLEC, using SS7 signaling, employs Intermediate Access Tandems (IATs) in its network. **SBC-12STATE** makes no warranties with respect to call set-up times when multiple STP pairs are involved or when the signaling traffic is exchanged between two non-**SBC-12STATE** signaling points.
- 3.4.8 Provisioning of the SS7 Service is in accordance with **SBC-7STATE** TP76638 **SBC MIDWEST REGION 5-STATE** AM-TR-OAT-000069 and GR-905-CORE, as amended or **SBC-2STATE** PUB L780023-**SBC-2STATE**.

3.5 Use of the STP

- 3.5.1 When CLEC orders **SBC-12STATE** unbundled Local Switching, the use of the STP shall apply. No order or provisioning by CLEC is needed. The **SBC-12STATE** Local Switch will use the **SBC-12STATE** SS7 signaling network.

4. **RESPONSIBILITIES OF SBC-12STATE**

- 4.1 **SBC-12STATE** shall manage the network and, at its sole discretion, apply protective controls. Protective controls include actions taken to control or minimize the effect of network failures or occurrences, which

include, but are not limited to, failure or overload of **SBC-12STATE** or CLEC facilities, natural disasters, mass calling or national security demands.

- 4.2 **SBC-12STATE** shall determine the GTT route for messages routed to GTT, which are associated with **SBC-12STATE** signaling points.
- 4.3 **SBC-12STATE** shall define regional functions and local functions of its STPs. **SBC-12STATE** will route ISUP messages within the **SBC-12STATE** signaling network, subject to technical feasibility. Capacity limitations shall define a temporary technical infeasibility until the capacity limit can be resolved.
- 4.4 **SBC-12STATE** shall route messages generated by the action of CLEC throughout the **SBC-12STATE** signaling network as specified within this Appendix. The content of the messages is for the use of signaling points of origination and destination. **SBC-12STATE** will not use any information within messages for any purpose not required by or related to the use of the **SBC-12STATE** signaling network. **SBC-12STATE** will not divulge any message or any part of messages generated by CLEC to any other party, except as required to manage the **SBC-12STATE** signaling network or as may be required by law.

5. RESPONSIBILITIES OF CLEC

- 5.1 CLEC shall provision the signaling links at CLEC's premises and from CLEC's premises to **SBC-7STATE**'s STP location in a diverse, reliable and technically feasible manner. CLEC shall identify to **SBC-12STATE** the SPC(s) associated with the CLEC set of links.
- 5.2 CLEC shall identify to **SBC-12STATE** the GTT information for messages that route to CLEC.
- 5.3 When routing messages addressed to an **SBC-12STATE** Subsystem Number (SSN), CLEC shall use the **SBC-12STATE** defined SSN designation of the **SBC-12STATE** mated STP pair to which the message is routed.
- 5.4 CLEC shall transfer Calling Party Number Parameter information unchanged, including the "privacy indicator" information, when ISUP Initial Address Messages are interchanged with the **SBC-12STATE** signaling network.
- 5.5 CLEC shall furnish to **SBC-12STATE**, at the time the SS7 Service is ordered and annually thereafter, an updated three (3) year forecast of usage of the SS7 Signaling network. The forecast shall include total annual volume and busy hour busy month volume. **SBC-12STATE** shall utilize the forecast in its own efforts to project further facility requirements.
- 5.6 CLEC shall inform **SBC-12STATE** in writing thirty (30) days in advance of any change in CLEC's use of such SS7 Service which alters by ten percent (10%) for any thirty (30) day period the volume of signaling transactions by individual SS7 service that are planned by CLEC to be forwarded to **SBC-12STATE**'s network. CLEC shall provide in said notice the reason, by individual SS7 service, for the volume change.

6. BONAFIDE REQUEST PROCESS

- 6.1 Any request for SS7 service not addressed within this Appendix may be submitted to **SBC-12STATE** via the Bonafide Request ("BFR") process set forth in Appendix UNE.

7. DESCRIPTION OF RATE ELEMENTS **SBC MIDWEST REGION 5-STATE**

- 7.1 There are three types of charges that apply for SS7 Access. They are recurring, usage and nonrecurring charges. Recurring and nonrecurring charges apply for each port that is established on a STP. Usage charges apply for each Initial Address Message (IAM) or TCAP (excluding LIDB Access Service, 800 Access Service TCAP messages and LNP Database Access Query TCAP messages) message that is switched by the local STP and transported to an **SBC MIDWEST REGION 5-STATE** end office or for each IAM and TCAP message that is switched by the local STP in a hubbing arrangement.
- 7.2 Nonrecurring charges apply for the establishment of Originating Point Codes (OPC) and Global Title Address (GTA) Translations. An OPC charge applies for each OPC established, as well as each OPC

added or changed subsequent to the establishment of STP Access. The OPC charge applies on a per service basis. A GTA Translation charge applies for each service or application (excluding LIDB Access Service and 800 Carrier-ID-Only Service) that utilizes TCAP messages. A GTA Translation charge also applies for each service (excluding LIDB Access Service and 800 Carrier-ID-Only Service) added or changed subsequent to the initial establishment of STP Access.

7.3 Signal Formulation

7.3.1 An IAM Formulation usage charge will be assessed for each IAM message formulated at the **SBC MIDWEST REGION 5-STATE** tandem for CLEC to **SBC MIDWEST REGION 5-STATE** terminated calls.

7.4 Signal Transport

7.4.1 An IAM Signal Transport usage charge will also be assessed for each IAM message that is transported from the local STP to the **SBC MIDWEST REGION 5-STATE** end office for terminating traffic. A TCAP Signal Transport usage charge will be assessed for each TCAP message that is transported from the local STP to the **SBC MIDWEST REGION 5-STATE** end office (excluding LIDB and 800 Access Service).

7.5 Signal Switching

7.5.1 An IAM Signal Switching usage charge will be assessed for each IAM message that is switched by the local STP for each IAM messages that is switched for direct routed terminating traffic. A TCAP Signal Switching usage charge will be assessed for each TCAP message that is switched by the local STP termination of non-call associated signaling messages (excluding LIDB and 800 Access Service).

7.6 Signal Tandem Switching

7.6.1 An IAM Signal Tandem Switching usage charge will be assessed for an IAM message that is switched by an **SBC MIDWEST REGION 5-STATE** STP and transported to an end office for tandem routed terminating traffic. When Signal Tandem Switching usage charges are assessed, Signal Switching and Signal Transport charges do not apply, except for SS7 Transport.

8. **DESCRIPTION OF RATE ELEMENTS SBC-7STATE**

8.1 The following rate elements apply to **SBC-7STATE** SS7 Service:

8.2 SS7 Transport

8.2.1 SS7 Transport shall be measured per octet of information screened and routed.

8.2.2 CLEC shall pay SS7 Transport Per Octet rate element for the screening and routing of messages by each additional **SBC-7STATE** STP pair. A usage rate applies per octet generated by action of CLEC.

8.2.3 SS7 Transport is not available in the **SBC-2STATE**.

8.3 Dedicated Signaling Links

8.3.1 SS7 Link Cross Connect

8.3.1.1 CLEC shall pay the DS-0 or DS-1 rate for the SS7 Link Cross Connect at the STP location for each Dedicated Signaling Link. Rates are per DS-0 and DS-1 bandwidth and per connection to unbundled dedicated facility or connection to a collocation cage. Rates are per month and nonrecurring installation per first or additional cross connects ordered and shall apply on a per order basis.

8.3.2 STP Port Termination

8.3.2.1 CLEC shall pay the STP Port Termination rate element for each termination of the SS7 Link Cross Connect at the **SBC-7STATE** STP. One STP Port Termination must be installed at **SBC-7STATE**'s interconnecting STP for each Dedicated Signaling Link.

8.3.2.2 There are two charges that apply to the STP Port Termination, i.e., a fixed recurring monthly rate per port termination and a nonrecurring installation charge per port.

8.3.3 STP Access Link

8.3.3.1 CLEC shall pay the STP Access Link rate element for each STP Access Link when the STP Access Link is provided. The charge includes a fixed rate per month plus a rate per mile per month.

8.4 Signaling Point Code Addition

8.4.1 CLEC shall pay the Signaling Point Code Addition rate element for the establishment and translation of each applicable CCS network signaling point code at a **SBC-7STATE** STP. CLEC shall pay a nonrecurring charge per SPC established at each STP.

8.5 Global Title Translation (GTT) Addition

8.5.1 CLEC shall pay the GTT Addition rate element for the establishment of CLEC's GTA, translation type or subsystem information in the **SBC-7STATE** STP translations. CLEC shall pay a nonrecurring charge per GTT established at each STP.

8.6 Use of the STP Per Call

8.6.1 CLEC shall pay the Use of the STP Per Call rate element for Use of the **SBC-7STATE** STP. The rate shall apply for each call originated by CLEC subscribers using the **SBC-7STATE** Local Switching Network Element. The rate is based on an assumed mean quantity of 200 octets of signaling used for each originated call times the STP Transport rate element.

8.6.2 The Use of the STP Per Call is a surrogate for STP Transport and Dedicated Signaling Links when CLEC uses the **SBC-7STATE** Local Switching network element.

9. **APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS**

9.1 Every interconnection, service and network element provided hereunder, shall be subject to all rates, terms and conditions contained in this Agreement which are legitimately related to such interconnection, service or network element. Without limiting the general applicability of the foregoing, the following terms and conditions of the General Terms and Conditions are specifically agreed by the Parties to be legitimately related to, and to be applicable to, each interconnection, service and network element provided hereunder: definitions; interpretation; construction and severability; notice of changes; general responsibilities of the Parties; effective date, term and termination; fraud; deposits; billing and payment of charges; non-payment and procedures for disconnection; dispute resolution; audits; disclaimer of representations and warranties; limitation of liability; indemnification; remedies; intellectual property; publicity and use of trademarks or service marks; no license; confidentiality; intervening law; governing law; regulatory approval; changes in End User local exchange service provider selection; compliance and certification; law enforcement; no third party beneficiaries; disclaimer of agency; relationship of the Parties/independent contractor; subcontracting; assignment; responsibility for environmental contamination; force majeure; taxes; non-waiver; network maintenance and management; signaling; transmission of traffic to third parties; customer inquiries; expenses; conflicts of interest; survival; scope of agreement; amendments and modifications; and entire agreement.